SeqLine Bio

Certificate of Analysis

Manufacturer's factory QC report
Not a third-party test report
厂家出厂质检报告，非第三方检测报告

Report No. TR30-SLB261026A-R

扫码查看本批次报告
Scan to view this batch report

Product	Tirzepatide 30 mg
Batch No.	TR30-SLB261023A
Manufactured	2026-10-23 Tested: 2026-10-28 Expiry: 2027-10-23
CAS / composition	2023788-19-2
Packaging	3ML vial lyophilized powder
Standard	Corporate Standard

Test item	Acceptance criteria	Reported result
Molecular weight	Not specified	4813.48Da
Actual content	Not specified	30.85mg
Content (% of label)	Not specified	102.8%
Coenzyme content	Not specified	Meets standards
HPLC purity	NLT 98.0%	99.67%
Related substances	NMT 0.5%	0.31%
High molecular weight proteins	NMT 0.8%	0.66%
Water content	NMT 3.0%	0.32%
Heavy metals	NMT 10 ppm	ND
Residual solvents	Not specified	Methanol: 45ppm; Acetonitrile: 29ppm; Dichloromethane: 66ppm; N,N-Dimethylformamide: 54ppm
Microbial limit	NMT 100 cfu/g	Meets standards
Total bacterial count	< 1 CFU/mg	Meets standards
Bacterial endotoxins	NMT 0.25 EU/mg	Meets standards
Appearance	Not specified	white powder
Solubility	Not specified	Freely soluble in water
pH	Not specified	6.7
Solution clarity and colour	Not specified	Colour:Clear and transparent
Chromatographic identification	Not specified	Meets standards

Data supplied and confirmed by the manufacturer. Content (%) is expressed relative to the nominal label amount. Only criteria supplied in the source are listed. This presentation is not an independent third-party test report. No chromatogram, spectrum or laboratory signature is supplied with this data.

SeqLine Bio